Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16529	(stabilizer or torsion) adj (bar or rod or tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 15:50
L2	26452	end adj link	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 15:50
L3	95	1 with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 15:50
L4	1576051	adhesive or adher\$4 or glue\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 15:51
L5	1	3 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 15:51
L6	94	1 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 15:51
S1	11	(("20020109325") or ("6019383") or ("5064216") or ("5102160") or ("5702121") or ("5788264") or ("5876148") or ("6007079") or ("6007080") or ("6076840") or ("6254114")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/08 15:49
S2	30	("1660148" "2103729" "2246833" "2254325" "2300237" "2521335" "2660908" "3026124" "3166333" "3218053" "3275313" "3740986" "4854766" "4954006" "5062656").PN. OR ("5876148").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 13:49
S 3	13	("4690234" "4703947").PN. OR ("5062656").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 13:50
54	22	("2825576" "3028172" "3692295" "4042258" "4161812" "4203615" "4219208" "4336953" "4460197" "4779834" "4798397").PN. OR ("5064216"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 13:58
S 5	219	(280/93.511).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/08 14:50

S6	257	(280/124.107).CCLS.	US-PGPUB;	OR	OFF	2005/12/09 10:43
	23,	•	USPAT			2003/12/03 10.43
S7	1	("6845995").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/08 15:09
S8	29	("2078367" "2275637" "2446621" "2448769" "2808270" "2951710" "4132430" "4732407" "4740012" "4834416" "4883260" "5080334" "5190269" "5224790" "5413374" "5540420" "5692767" "5843264" "5884926" "5887859" "6094818" "6145858" "6286821").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 15:11
S 9	219	(280/124.13).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/09 13:48
S10	16529	(stabilizer or torsion) adj (bar or rod or tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 15:50
S11	721481	link	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 15:50
S12	1114217	bearing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:21
S13	6996	lock adj washer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:21
S14	1	S10 with S11 with S12 with S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 13:46
S15	32	S10 with S11 with S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:22
S 16	269	((280/124.137) or (280/124.152)). CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/09 11:49
S17	257	(280/124.107).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/09 10:43
S18	245	S16 not S17	US-PGPUB; USPAT	OR	OFF	2005/12/09 10:43
S19	16	("3164418" "3314699" "3579942" "4747737" "4778321" "4944523").PN. OR ("5449193"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:14

S20	31	("2245809" "2455606" "2825576" "3023992" "3104097" "3181885" "3198507" "3419101" "3713611" "3829120" "3831966" "3975038" "4143887" "4159043" "4664408" "4875703").PN. OR ("5102160"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:16
S22	2176	stabilizer adj bar	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 11:49
S24	502	((280/124.137) or (280/124.152) or (280/124.107)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/09 11:50
S28	16529	(stabilizer or torsion) adj (bar or rod or tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 13:46
S29	721481	link	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 13:46
S 30	1114217	bearing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 13:46
S31	6996	lock adj washer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 13:46
S32	1	S28 same S29 same S30 same S31	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/09 14:02
S 33	1161	(74/579R).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/09 14:01